Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	241480	liquid near crystal near display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:35
L8	325750	((liquid near crystal near display) LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:36
L9	15665	flexible near print$3 near circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:36
L10	2876	l8 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:36
L11	533	display near region and (non-display nondisplay non?display) near region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:36
L12	18	l10 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:41
L13	50	l10 and driver near chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:03
L14	2	l13 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:37
L15	2	l13 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:43

L16	2	l13 and (sub-lines sub adj lines sub?lines) near5 control$4 near pixels	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:52
L17	6	(sub-lines sub adj lines sub?lines) near5 control$4 near pixels	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 16:02
L18	1	l17 and ((control$4 near pixels) near5 pair near adjacent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 15:53
L19	2531	(257/59,72).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:02
L20	1646	l19 and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:03
L21	190	l20 and l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:03
L22	1	l21 and driver near chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:03
L23	11	l20 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:04
L24	2	l21 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 16:04
S1	235	(324/770).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:18

S2	455	(349/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:53
S3	690	S1 or S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:54
S5	15665	flexible near print$3 near circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:56
S6	10	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:14
S7	10	S6 and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:42
S8	533	display near region and (non-display nondisplay non?display) near region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:18
S10	1	S7 and display near region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:18
S11	1691	(349/149,150,151,152).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:42
S12	205	S11 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:43
S13	6	S12 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:46

| S14 | 20 | S12 and driver near chip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/08 16:47 |
| S16 | 18 | S14 and circuit near5 bond$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/08 16:48 |

File   View   Edit   Tools   Window   Help

Active
- L7: (24)489) liquid near crystal near display
- L8: (325750) ((liquid near crystal near display) LCD)
- L9: (15665) flexible near print$3 near circuit
- L10: (2876) l8 and L9
- L11: (533) display near region and (non-display nondisplay non?display) near region
- L14: (2) l13 and l11
- L12: (18) l10 and l11
- L15: (50) l10 and driver near chip
- L15: (2) l13 and l11
- L16: (2) l13 and (sub-lines sub adj lines sub?lines) near5 control$4 near pixels
- L18: (1) l17 and ((control$4 near pixels) near5 pair near adjacent)
- L17: (6) (sub-lines sub adj lines sub?lines) near5 control$4 near pixels
- L20: (1646) l19 and l7
- L19: (2631) (257/59.72).CCLS.
- L21: (190) l20 and l9
- L22: (1) l21 and driver near chip
- L23: (1) l20 and l11
- L24: (2) l21 and l11

Failed
Saved
- S1: (235) (324/770).CCLS.
- S2: (455) (349/129).CCLS.
- S3: (690) S1 or S2
- S5: (15665) flexible near print$3 near circuit
- S6: (10) S3 and S5
- S8: (533) display near region and (non-display nondisplay non?display) near region
- S10: (1) S7 and display near region
- S7: (10) S6 and circuit
- S11: (691) (349/149, 150, 151, 152).CCLS.
- S12: (205) S11 and S5
- S13: (6) S12 and S8
- S14: (20) S12 and driver near chip
- S16: (18) S14 and circuit near5 bend$3

Favorites
Tagged (2)
UDC

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current Rsn	Inventor	S	C	P			
	☑		US 20040201026 A1	20041014	8	[LIQUID CRYSTAL DISPLAY PANEL]	257/72		CHEN, CHING-LUNG et al.						
			US 6774969 B2	20040810	24	Liquid crystal display device and method for manufacturing the same	349/139	257/59; 257/72;	Ma; Won-Seok et al.	☑					

Ready